



WALLANTICS

INSPIRING DESIGN'S

Havana laminate wooden flooring



QUALITY - HDF (High-Density Fiberboard)

CLASS - AC4 (Abrasion Class)

COATING - FOUR SIDE WAX COATING



EXCELLENT QUALITY INTERPRETATION NATURALWOOD COLOUR

- **Maintenance:**

Wood floors are easy to clean and maintain, and are more resistant to dirt and liquid spills.

- **Durability:**

Wood flooring is resistant to wear and tear can last for generations with proper care.

- **Natural Wood Look:**

Laminate flooring mimics the appearance of real wood through a high-definition photographic layer, giving it the charm of hardwood without the intensive upkeep.

- **Variety of Designs:**

Available in a wide range of colors, textures, and wood species patterns (like oak, maple, or walnut), laminate flooring fits seamlessly into different interior styles.

In the case of Laminate Wooden Flooring, there are several advantages.

Laminate wooden flooring is durable and strong. The Laminate wooden flooring is designed for a heavy traffic. It is also easy to clean and maintain. It is versatile and can be available in a wide range of colours, shades, and styles. Laminate wooden Flooring is less expensive than hardwood flooring, but it gives the same beautiful look. Dirt and dust can keep on in laminate flooring.

Why Unistar Wood Floors Is The Best Choice For You?

Unistar Wood Floors comes with a warm wooden finish that gives your home a serene, inviting look. The natural wood design gives the floor a very earthy look. Plus the specially engineered surface protection technology makes the floor sturdy, resistant to scratches, stains and water spills and less allergenic. Add to this the ease of installation and you've got a winner in your hand. Did you know you also have the option of moving an entire floor from one room to another with the blink of an eye.






LAMINATE WOODEN FLOORING

Dimensions	1220X200X8MM
Package	10Pcs/Box
Box Weight	17.2 kg
Area Coverage	26.264 sqft/Box (2.44 m2/ctn)

REDUCER

Dimensions	2400X45X12MM
Package	20 Pcs

STRUCTURE





LLT - LIQUID LAYER TECHNOLOGY

Patented technology used for energy saving production of highly stable & balanced planks for a lifetime floor solution.



The most advanced synchronized textures bringing to life natural wood finishes.

SYNCHRONISED TEXTURES



ISOWAXX

Patented wax protection process across all joints to prevent swelling of the flooring due to moisture.



UNIFORM PLANK

Uniform plank sized designed to deliver a cohesive, sophisticated look that suits every space with timeless charm.



MEGALOC

Adhesive free laying & dismantling system for easy installation & moving whenever required.



FLAT GROOVE

Flat Groove effect is specially colored to give the entire floor the same feel & look.



PRODUCTION

One of the largest manufacturing lines in the world for laminate flooring under one roof.



24HR WATERLOCK TECHNOLOGY



ABRASION-RESISTANT

The highest abrasion class available worldwide of AC4 for all the floors.



NON-FADING

Pigments with UV resistance of 6+ on the blue wool scale, assuring colour fastness for years.

Maid - Free

Enjoy our beautiful low maintenance floors.

USTL - 1001


2400mm

1220mm

Reducer

45mm

200mm



USTL - 1002

2400mm

1220mm


Reducer

45mm

200mm



USTL - 1003



Reducer

2400mm

45mm



1220mm

200mm

200mm

USTL - 1004



2400mm

45mm



1220mm

200mm

200mm

USTL - 1005

Reducer

2400mm

1220mm

45mm

200mm



USTL- 1006



45mm



1220mm

200mm

USTL- 1007



2400mm

45mm



1220mm

200mm

USTL - 1008



Reducer

2400mm

1220mm

45mm

200mm

200mm

Double Click System



Reducer



Wooden Flooring




Commercial Area



Residential Area



WOODEN LAMINATE FLOORING INSTALLATION



WOODEN FLOORING INSTALLATION STEPS

Step 1: Choose Installation Type

Pick either click (floating) or glue-down method.

Step 2: Prepare Subfloor

Make sure it's clean, level, and stable. Fix loose parts.

Step 3: Choose Underlay or Glue

Select based on your method. Use damp-proof, noise-reducing underlay

Step 4: Gather Tools

Get tools like a hammer and saw before starting.

Step 5: Install Underlay

Roll underlay close to the wall. Lay one row at a time. Use flap/strip or adhesive tape

Step 6: Lay Wooden Floor

Measure and mark rows. Mix plank sizes to avoid patterns. Start from the longest wall. Leave 30 cm gap between end joints

Step 7: Saw Planks

Cut planks to fit space. Mark lines and cut with top side up.

Step 8: Finish in Style

Add skirting boards and finishing touches to complete the look.

Disclaimer

Product Colour May Slightly Vary Due to Photographic Lighting Sources or Your Monitor Settings

We strive to provide our customers with accurate and detailed product representations. However, we wish to bring to your attention that the color of the products displayed on our website or in marketing materials may slightly vary from the actual product due to photographic lighting sources and individual monitor settings

Photographic Lighting Sources

Our product images are captured under controlled studio lighting conditions to showcase the item's features and design. While we make every effort to ensure that the colors depicted are as true to life as possible, the intensity, direction, and temperature of lighting during photography may affect the perception of colors in the images



WALLANTICS

INSPIRING DESIGN'S